# **Complete Summary**

#### TITLE

Diagnosis and management of attention deficit hyperactivity disorder (ADHD) in primary care for school age children and adolescents: percentage of patients diagnosed with ADHD whose medical record contains documentation that the clinician discussed the need for school-based supports and educational service options for children with ADHD.

# SOURCE(S)

Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of attention deficit hyperactivity disorder in primary care for school age children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2005 Jan. 69 p. [131 references]

## Measure Domain

# PRIMARY MEASURE DOMAIN

## **Process**

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the <u>Measure Validity</u> page.

#### SECONDARY MEASURE DOMAIN

Does not apply to this measure

## **Brief Abstract**

## **DESCRIPTION**

This measure assesses the percentage of patients diagnosed with attention deficit hyperactivity disorder (ADHD) whose medical record contains documentation that the clinician discussed the need for school-based supports and educational service options for children with ADHD.

## **RATIONALE**

The priority aim addressed by this measure is to increase the number of clinicians who are utilizing a multimodality approach in treatment planning for children with attention deficit hyperactivity disorder (ADHD).

## PRIMARY CLINICAL COMPONENT

Attention deficit hyperactivity disorder (ADHD); school-based supports; educational service options

## DENOMINATOR DESCRIPTION

Total number of attention deficit hyperactivity disorder (ADHD) patients whose medical records are reviewed (see the related "Denominator Inclusions/Exclusions" field in the Complete Summary)

## NUMERATOR DESCRIPTION

Number of medical records of attention deficit hyperactivity disorder (ADHD) patients with documentation of discussion of the need for school-based supports and educational service options (see the related "Numerator Inclusions/Exclusions" field in the Complete Summary)

# Evidence Supporting the Measure

## EVIDENCE SUPPORTING THE CRITERION OF QUALITY

 A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence

#### NATIONAL GUIDELINE CLEARINGHOUSE LINK

• <u>Diagnosis and management of attention deficit hyperactivity disorder in</u> primary care for school age children and adolescents.

#### Evidence Supporting Need for the Measure

# NEED FOR THE MEASURE

Unspecified

#### State of Use of the Measure

## STATE OF USE

Current routine use

## **CURRENT USE**

Internal quality improvement

#### Application of Measure in its Current Use

## CARE SETTING

Physician Group Practices/Clinics

#### PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Physicians

## LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

**Group Clinical Practices** 

#### TARGET POPULATION AGE

Age 5 to 18 years

## TARGET POPULATION GENDER

Either male or female

## STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

#### Characteristics of the Primary Clinical Component

## INCIDENCE/PREVALENCE

Attention deficit hyperactivity disorder (ADHD) is a high prevalence condition ranging in school aged children from 3% to 5%, based on previous diagnostic criteria, to 11% to 12%, based on more recent Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition/Diagnostic and Statistical Manual for Primary Care (DSM-IV/DSM-PC) criteria.

# EVIDENCE FOR INCIDENCE/PREVALENCE

Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of attention deficit hyperactivity disorder in primary care for school age children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2005 Jan. 69 p. [131 references]

## ASSOCIATION WITH VULNERABLE POPULATIONS

Unspecified

#### BURDEN OF ILLNESS

Attention deficit hyperactivity disorder (ADHD) is a high prevalence condition with many potential medical, emotional-behavioral, social, and academic consequences for a child or adolescent.

Behavioral manifestations of ADHD in adolescence include insatiability and restlessness, behavioral impulsivity, risk-taking behaviors, low self-esteem, weak reinforcibility, loss of motivation, social failure, antisocial behavior, alcohol or drug abuse, motor vehicle accidents, and school drop-out. ADHD may impact the academic performance of the adolescent, with associated difficulties such as memory problems, cognitive fatigue, fine motor dysfunction, or ineffective self-monitoring resulting in "careless" errors, performance inconsistency, task impersistence, and inattention to detail.

#### EVIDENCE FOR BURDEN OF ILLNESS

Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of attention deficit hyperactivity disorder in primary care for school age children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2005 Jan. 69 p. [131 references]

**UTILIZATION** 

Unspecified

**COSTS** 

Unspecified

Institute of Medicine National Healthcare Quality Report Categories

**IOM CARE NEED** 

Living with Illness

IOM DOMAIN

Effectiveness Patient-centeredness

# Data Collection for the Measure

CASE FINDING

Users of care only

DESCRIPTION OF CASE FINDING

All children and adolescents from kindergarten through 12th grade (ages 5 to 18) diagnosed with attention deficit hyperactivity disorder (ADHD)

Medical groups may identify their patient samples in several ways. One way is to use available information systems to identify patients with ADHD from all payers. A minimum sample of 10 charts is suggested.

Suggested data collection time frame is monthly.

## DENOMINATOR SAMPLING FRAME

Patients associated with provider

#### DENOMINATOR INCLUSIONS/EXCLUSIONS

#### Inclusions

Total number of attention deficit hyperactivity disorder (ADHD) patients whose medical records are reviewed\*

\*ADHD is defined as International Classification of Diseases, Ninth Revision (ICD-9) codes of 314.00 or 314.01. Diagnosed is defined as documented ADHD in the past 6 to 12 months.

Exclusions Unspecified

# DENOMINATOR (INDEX) EVENT

Clinical Condition Encounter

# DENOMINATOR TIME WINDOW

Time window is a single point in time

# NUMERATOR INCLUSIONS/EXCLUSIONS

#### Inclusions

Number of medical records of attention deficit hyperactivity disorder (ADHD) patients with documentation of discussion of the need for school-based supports and educational service options

\*Documented is defined as any evidence in the medical record that a clinician discussed school-based supports and educational service options.

Exclusions Unspecified

# NUMERATOR TIME WINDOW

Encounter or point in time

DATA SOURCE

Administrative data Medical record

LEVEL OF DETERMINATION OF QUALITY

Individual Case

PRE-EXISTING INSTRUMENT USED

Unspecified

# Computation of the Measure

**SCORING** 

Rate

INTERPRETATION OF SCORE

Better quality is associated with a higher score

ALLOWANCE FOR PATIENT FACTORS

Unspecified

STANDARD OF COMPARISON

Internal time comparison

#### Evaluation of Measure Properties

#### EXTENT OF MEASURE TESTING

Unspecified

#### Identifying Information

# ORIGINAL TITLE

Percentage of patients diagnosed with ADHD whose medical record contains documentation that the clinician discussed the need for school-based supports and educational service options for children with ADHD.

# MEASURE COLLECTION

<u>Diagnosis and Management of Attention Deficit Hyperactivity Disorder in Primary</u> Care for School Age Children and Adolescents Measures

#### **DEVELOPER**

Institute for Clinical Systems Improvement

## **ADAPTATION**

Measure was not adapted from another source.

## RELEASE DATE

2005 Jan

#### **MEASURE STATUS**

This is the current release of the measure.

## SOURCE(S)

Institute for Clinical Systems Improvement (ICSI). Diagnosis and management of attention deficit hyperactivity disorder in primary care for school age children and adolescents. Bloomington (MN): Institute for Clinical Systems Improvement (ICSI); 2005 Jan. 69 p. [131 references]

## MEASURE AVAILABILITY

The individual measure, "Percentage of patients diagnosed with ADHD whose medical record contains documentation that the clinician discussed the need for school-based supports and educational service options for children with ADHD," is published in "Health Care Guideline: Diagnosis and Management of Attention Deficit Hyperactivity Disorder in Primary Care for School Age Children and Adolescents." This document is available from the <a href="Institute for Clinical Systems">Institute for Clinical Systems</a> Improvement (ICSI) Web site.

For more information, contact ICSI at, 8009 34th Avenue South, Suite 1200, Bloomington, MN 55425; phone: 952-814-7060; fax: 952-858-9675; Web site: www.icsi.org; e-mail: icsi.info@icsi.org

#### **NOMC STATUS**

This NQMC summary was completed by ECRI on March 15, 2005.

## COPYRIGHT STATEMENT

This NQMC summary (abstracted Institute for Clinical Systems Improvement [ICSI] Measure) is based on the original measure, which is subject to the measure developer's copyright restrictions.

The abstracted ICSI Measures contained in this Web site may be downloaded by any individual or organization. If the abstracted ICSI Measures are downloaded by an individual, the individual may not distribute copies to third parties.

If the abstracted ICSI Measures are downloaded by an organization, copies may be distributed to the organization's employees but may not be distributed outside of the organization without the prior written consent of the Institute for Clinical Systems Improvement, Inc.

All other copyright rights in the abstracted ICSI Measures are reserved by the Institute for Clinical Systems Improvement, Inc. The Institute for Clinical Systems Improvement, Inc. assumes no liability for any adaptations or revisions or modifications made to the abstracts of the ICSI Measures.

© 2006 National Quality Measures Clearinghouse

Date Modified: 9/25/2006

# **FIRSTGOV**

